

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	39	transmit\$4 WITH version WITH reply\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 11:27
L2	0	("2006/0136611").URPN.	USPAT	OR	ON	2007/06/08 11:27
S1	2	"750060".ap.	US-PGPUB	OR	ON	2007/02/21 14:25
S2	4	("20020016877" "20020016877" "20030182482" "20030182482" "20030217311" "5884027").PN.	US-PGPUB; USPAT	OR	ON	2007/02/21 14:51
S3	5942	service NEAR2 availabil\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 15:13
S4	2483	(710/1,15,16).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 15:13
S5	5	S3 AND S4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 15:13
S6	3	("20030098884" "6629151" "6349504").pn.	US-PGPUB; USPAT	OR	ON	2007/02/22 11:48
S7	236	(query ask\$3 question\$3) WITH (interface connect\$3 link\$3) WITH (feature) WITH (device module component)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 11:51
S8	12	(query ask\$3 question\$3) WITH (interface connect\$3 link\$3) WITH (feature service) WITH (device module component) WITH (bus)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 11:51
S9	40	query\$3 WITH (device module component) WITH ((feature service) NEAR2 specific)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 13:59
S10	21	("5630061" "5790940" "6226680" "6434187").PN. OR ("6629151").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/22 12:12
S11	1	"6349304".pn.	USPAT	OR	ON	2007/02/22 12:20
S12	81	query\$3 WITH (specific NEAR2 feature)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 12:34

EAST Search History

S13	38	query\$3 WITH (specific NEAR2 (feature function)) WITH (device circuit module component)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 12:35
S14	1053	jini	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:05
S15	512	S14 AND query	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:06
S16	362	S14 AND (quer\$3 SAME (feature function service))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:07
S17	21	S14 AND (quer\$3 SAME (feature function service) SAME bus)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:07
S18	38	(query\$3) WITH (device component module) WITH (specific NEAR2 (feature function))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:11
S19	1922	(quer\$4) WITH (feature function) WITH (response repl\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:54
S20	835	(quer\$4) WITH (feature service function) WITH (response repl\$4) WITH (device component module circuit)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:56
S21	1	S20 SAME DMA	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:56
S22	19	S20 AND DMA	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:01

EAST Search History

S23	1027	quer\$4 NEAR3 version	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:01
S24	13564056	(device component circuit module)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:10
S25	130	S23 WITH S24	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:10
S26	10	S25 SAME (bus interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:11
S27	32	S23 AND DMA	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 14:13
S28	0	("2006/0136611").URPN.	USPAT	OR	ON	2007/02/22 14:13
S29	50	("5836013" "6747667" "6968398" "7136952" "7159105" "20030037185" "20040268109" "20050044348" "20050246473" "20050257222" "5933087" "20060136611" "6895517" "7162560" "20030041273" "20050144434" "5850562" "4306288" "4584639" "5471674" "5511180" "5822581" "5958049" "6009540" "4261035" "4292465" "4318182" "4351024" "4495598" "4497041" "4835459" "4884228" "5003466" "5226164" "5251150" "5291585" "5446882" "5504905" "5544358" "5586324" "5611062" "5613155" "5615335" "5619513" "5673391" "5673703" "5692219" "5694617" "5742758" "5784611").pn.	US-PGPUB; USPAT	OR	ON	2007/02/22 14:35
S30	22	(query\$3 queries) WITH (response repl\$4) WITH (feature function service) WITH (bus)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 16:35
S31	6175	((query\$3 ask\$3 request\$3) NEAR4 (feature function service)) SAME bus	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 14:13
S32	2537	(710/1,15,16).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 14:13

EAST Search History

S33	68	S31 AND S32	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 14:13
S34	8	quer\$4 NEAR3 (device peripheral) NEAR3 (DMA)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 14:18
S35	53082	(point\$1to\$1point firewire IEEE\$1"1394")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 14:20
S36	10774	S35 WITH bus	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 14:20
S37	19	S36 SAME query	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 14:21
S38	29	((WILLIAM) near2 (FUTRAL)).INV.	US-PGPUB; USPAT	OR	ON	2007/04/25 14:25
S39	50	((KENNETH) near2 (CRETA)).INV.	US-PGPUB; USPAT	OR	ON	2007/04/25 14:25
S40	24	((SUJOY) near2 (SEN)).INV.	US-PGPUB; USPAT	OR	ON	2007/04/25 14:25
S41	12	((GREGORY) near2 (CUMMINGS)).INV.	US-PGPUB; USPAT	OR	ON	2007/04/25 14:25
S42	11	((SIVAKUMAR) near2 (RADHAKRISHNAN)).INV.	US-PGPUB; USPAT	OR	ON	2007/04/25 14:25
S43	342	jini AND (quer\$4 WITH (service feature function))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 16:09
S44	467	((query determin\$5 identify\$3) WITH (function ability availability)) SAME (point\$1to\$1point link\$1to\$1link node\$1to\$1node firewire (IEEE ADJ "1394") IEEE1394 IEEE?1394)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:11
S45	411	S44 SAME (function DMA feature component service)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:03

EAST Search History

S46	2541	(710/1,15,16).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 11:03
S47	3	S45 AND S46	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:03
S48	199	S45 SAME (bus link)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:12
S49	110	S48 SAME (circuit device module peripheral IC)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:12
S50	7039	(query determin\$5 identify\$3) WITH (configurat\$3 ability availability) WITH (function DMA feature component service) WITH (circuit device module peripheral IC control\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:57
S51	6705	(query determin\$5 identify\$3) WITH (availab\$5) WITH (function DMA feature component service) WITH (circuit device module peripheral IC control\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:58
S52	65	(query determin\$5 identify\$3) WITH (availab\$5) WITH ((DMA NEAR2 control\$4) DMAC)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 12:47
S53	1	(ask\$3) WITH (availab\$5) WITH ((DMA NEAR2 control\$4) DMAC)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 12:47
S54	5	(find\$3) WITH (availab\$5) WITH ((DMA NEAR2 control\$4) DMAC)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 12:50
S55	0	(inquir\$3) WITH (availab\$5) WITH ((DMA NEAR2 control\$4) DMAC)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 12:51

EAST Search History

S56	1	(inquir\$3) WITH (availab\$5 abilit\$3 function\$3) WITH ((DMA NEAR2 control\$4) DMAC)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 12:52
S57	1	(inquir\$3) WITH (availab\$5 abilit\$3 feature component) WITH ((DMA NEAR2 control\$4) DMAC)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 12:53
S58	5418	(determin\$3 query identify\$3 inquir\$3 ask\$3) NEAR3 (availab\$5) NEAR3 (abilit\$3 feature component service module)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 12:55
S59	467	((query determin\$5 identify\$3) WITH (function ability availability)) SAME (point\$1to\$1point link\$1to\$1link node\$1to\$1node firewire (IEEE ADJ "1394") (IEEE?1394) (IEEE1394) ilink)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 13:31
S60	238	((query determin\$5 identify\$3) NEAR4 (function ability availability)) SAME (point\$1to\$1point link\$1to\$1link node\$1to\$1node firewire (IEEE ADJ "1394") (IEEE?1394) (IEEE1394) ilink)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 13:32
S61	27	((query determin\$5 identify\$3) NEAR4 (function ability availability)) SAME ((point\$1to\$1point link\$1to\$1link node\$1to\$1node firewire (IEEE ADJ "1394") (IEEE?1394) (IEEE1394) ilink) NEAR2 (bus))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 14:58
S62	1252	((query determin\$5 identify\$3) NEAR4 (function ability availability)) AND ((point\$1to\$1point link\$1to\$1link node\$1to\$1node firewire (IEEE ADJ "1394") (IEEE?1394) (IEEE1394) ilink) NEAR2 (bus))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 14:02
S63	85	(query\$3 determin\$3) NEAR3 (availab\$5) NEAR3 (component feature module) NEAR3 (IC (integrated ADJ circuit) device peripheral chip)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 14:03
S64	5	(determin\$3 query\$3) NEAR3 (DMAC (((direct ADJ memory ADJ access) DMA) ADJ controller)) NEAR3 (availab\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 14:34
S65	27	((query\$3 determin\$5 identify\$3) NEAR4 (function ability availability)) SAME ((point\$1to\$1point link\$1to\$1link node\$1to\$1node firewire (IEEE ADJ "1394") (IEEE?1394) (IEEE1394) ilink) NEAR2 (bus))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 14:58

EAST Search History

S66	52	((query determin\$5 identify\$3) WITH (function ability availability)) SAME ((point\$1to\$1point link\$1to\$1link node\$1to\$1node firewire (IEEE ADJ "1394") IEEE1394 IEEE?1394) NEAR2 bus)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 16:11
S67	1	query\$3 WITH available WITH (((direct near memory near access) DMA) NEAR2 controller) DMAC)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 12:21
S68	50	determin\$3 WITH available WITH (((direct near memory near access) DMA) NEAR2 controller) DMAC)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 12:21
S69	7538	determin\$5 WITH (resource) WITH available	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/30 11:01
S70	68	S69 WITH bus	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/30 11:04
S71	0	("2006/0105714").URPN.	USPAT	OR	ON	2007/05/30 12:08
S72	2	"750060".ap.	US-PGPUB	OR	ON	2007/05/30 12:24
S73	2	S72 AND point	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/30 12:24
S74	0	(10/673805).APP.	USPAT; USOCR	OR	ON	2007/05/30 12:37
S75	0	("2005/0071531").URPN.	USPAT	OR	ON	2007/05/30 12:38
S76	21	("20020019902" "20050027914" "5564062" "5708814" "5761492" "5793979" "5809329" "5881252" "5937199" "6115779" "6370606" "6378023" "6412035" "6470407" "6499078" "6502152" "6598105" "6636916" "6813666" "6865636" "6877057").PN.	US-PGPUB; USPAT	OR	ON	2007/05/30 12:39
S77	2	"750060".ap.	US-PGPUB	OR	ON	2007/06/04 12:28
S78	1	S77 AND (branch\$3 WITH tree WITH bus\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:28
S79	5682	available SAME (query\$3 request\$3) SAME (version)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:46

EAST Search History

S80	244	S79 SAME bus	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:45
S81	3	available WITH (query\$3 request\$3) WITH (version) WITH bus	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:46
S82	106	(IRQ ISR IDT) WITH (version)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:02
S83	7	arbitrat\$3 WITH resource WITH address WITH (return send)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:02
S85	76	arbitrat\$3 SAME resource SAME address SAME return	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:01
S86	132	arbitrat\$3 SAME resource SAME address SAME send\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:01
S87	8	arbitrat\$3 WITH resource WITH address WITH (return\$3 send\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:02
S88	1	S87 NOT S83	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:02
S89	229	reply\$3 WITH address WITH (resource feature peripheral)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:10
S90	3	S89 SAME arbitrat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:10

EAST Search History

S91	222	((device peripheral unit module) WITH (option\$1rom (option ADJ rom))) AND (detect\$3 configur\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 13:09
S92	156	S91 AND @ay<="2003"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 13:10
S93	80	S92 AND (version)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 13:11
S94	179	(arbitor arbitrat\$3) WITH (resource feature function ability) WITH (data information) NEAR3 (address ID identifier identification)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 13:25
S95	0	S91 AND havi	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 13:40
S96	0	S94 AND havi	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 13:40
S97	233	(arbitor arbitrat\$3) WITH (return\$3) WITH (address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 14:04
S98	149	S97 SAME (request\$3 query\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 14:04
S99	14	(arbitor arbitrat\$3) NEAR4 (return\$3) NEAR4 (address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 14:08
S100	5	"723261".ap.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 14:08

EAST Search History

S10 1	50	(request\$3 WITH version) SAME (arbitrat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 15:45
S10 2	0	S97 AND havi	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 17:17
S10 3	289	(return NEAR4 address) SAME (arbitrat\$3 arbitor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 17:19
S10 4	2569	(710/1,15,16).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/07 17:18
S10 5	1	S103 AND S104	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 17:19
S10 6	1	((return WITH address) SAME (arbitrat\$3 arbitor)) AND S104	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 17:20
S10 7	0	((return WITH address) SAME (IRQ)) AND S104	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 17:20
S10 8	74	((return WITH address) SAME (IRQ))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 17:20
S10 9	45	((return NEAR4 address) SAME (IRQ))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 17:21
S11 0	15	((return NEAR4 address) SAME (IRQ) SAME (request\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 17:21

EAST Search History

S11 1	50	(request) WITH (arbitrat\$3 arbit\$4) WITH (version)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 17:39
----------	----	--	--	----	----	------------------